



Cordless Dust Blower AS001G



XGT
40V **LI-ION**
max



A wide range of applications

Can be used for a wide range of applications by replacing the tip nozzle





For blowing / For cleaning



Nozzle 13 set

Part No. 191X15-3

- For blow-off works
- For inflating large play pools, etc.



For inflating/deflating



Pinch valve nozzle set

Part No. 191X17-9

For inflating/deflating inner tubes and beach balls



Max air velocity

200
m/s

[with Nozzle 7 / mode: 4]

Max air volume

1.1
m³/min

[without Nozzle / mode: 4]



Air vent hose complete set

Part No. 191X23-4

For inflating/deflating inner tubes and beach balls



*Remove Dust cap complete from this machine and attach this hose.



Filter C complete set

Part No. 191X29-2

For use of the machine in a dusty environment



*Remove Dust cap complete from this machine and attach this Filter.

A wide range of applications



Nozzle 7 set
Part No. 191X13-7
For filter cleaning



Nozzle 3 set
Part No. 191X11-1
For cleaning narrow spaces
(can be used like an air spray can)



Wide range nozzle set
Part No. 191X19-5
For wide range blow-off



Flexible nozzle complete set
Part No. 191X21-8
For blowing dust away from OA equipment or narrow spaces where this machine cannot enter



Rubber attachment 20-30 set
Part No. 191X25-0
For deflation large play pools and inflatable beds etc.*1



Rubber attachment 65 set
Part No. 191X27-6
For deflating futon (bedding) compression bag*1



Filter
For preventing foreign matter from being sucked in

Variable speed control by trigger

LED job light

4 stage air volume

Belt clip (option)

*1 Used by attaching to Nozzle 13 and Air vent hose

One-touch nozzle replacement



Easy nozzle replacement without tool


Hanging hole



Enables to hang the machine like a factory air duster.



Accessories



For inflation

Nozzle 13 set

Part No. 191X15-3
Nozzle diameter: ϕ 13mm
(Same as the caliber of the machine)

- For blow-off works
- For inflating large play pools, etc.



Nozzle 7 set

Part No. 191X13-7
Nozzle diameter: ϕ 7.0mm

For filter cleaning



Nozzle 3 set

Part No. 191X11-1
Nozzle diameter: ϕ 3.0mm

For cleaning narrow spaces
(can be used like an air spray can)



Flexible nozzle complete set

Part No. 191X21-8
Nozzle diameter: ϕ 6.0x800 (Hose)

For blowing dust away from OA equipment or narrow spaces where this machine cannot enter



For inflation

Wide range nozzle set

Part No. 191X19-5
Nozzle diameter: ϕ 6.0mm
(each hole)

For wide range blow-off



Pinch valve nozzle set

Part No. 191X17-9
Nozzle diameter: ϕ 7.0mm

For inflating/deflating inner tubes and beach balls



Long nozzle set

Part No. 191X78-9 Nozzle diameter: ϕ 8.0mm

- For cleaning anchor holes
- For cleaning narrow spaces that are out of reach

- Long nozzle R can be used as a single item.
- It can also be used as an assembly with Nozzle 13.



For deflation

Air vent hose complete set

Part No. 191X23-4
Nozzle diameter: 13mm
(Same as the caliber of the machine)

For inflating/deflating inner tubes and beach balls
(Remove Dust cap complete from this machine and attach this hose.)



Rubber attachment 20-30 set

Part No. 191X25-0
Nozzle diameter: 7.0mm

For deflation large play pools and inflatable beds etc.*1



Rubber attachment 65 set

Part No. 191X27-6
Nozzle diameter: ϕ 65mm

For deflating futon (bedding) compression bag*1



For product protection

Filter C complete set

Part No. 191X29-2
For use of the machine in a dusty environment

(Remove Dust cap complete from this machine and attach this Filter.)



*1 Used by attaching to Nozzle 13 and Air vent hose

Charging Time

| | Fast Charging | |
|----------------|---------------|--------|
| | DC40RA | DC40RC |
| *1BL4020 2.0Ah | 22 min | 30 min |
| *1BL4025 2.5Ah | 28 min | 38 min |
| *1BL4040 4.0Ah | 45 min | 67 min |
| BL4050F 5.0Ah | 50 min | 85 min |

*1 Recommended battery

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

Cordless Dust Blower

AS001G

- Variable Speed
- Electronic 4-Speed
- Built-in Job Light
- Carrying Case

| | |
|------------------------|--|
| Max blowing force | Mode: 4/ 3/ 2/ 1: 2.8/ 2.3/ 1.7/ 1.1 N |
| Max air volume | Mode: 4/ 3/ 2/ 1: 1.1/ 1.0/ 0.8/ 0.6 m ³ /min |
| Max sealed suction | 10.3 kPa |
| Continuous Use (min.) | Mode: 4/ 3/ 2/ 1: 13/ 17/ 25/ 50 |
| Sound Pressure Level | 79 dB(A) |
| Vibration Emission | 2.5 m/s ² or less |
| Dimensions (L x W x H) | w/o Battery: 175 x 94 x 300 mm (6-7/8 x 3-11/16 x 11-3/4") w/ BL4020 / BL4025: 180 x 94 x 248 mm (7-1/8 x 3-11/16 x 9-3/4") |
| Net weight | 1.5 - 2.3 kg (3.3 - 5.1 lbs.) |

Standard Equipment : Nozzle 3, Nozzle 7, Nozzle 13, Pinch valve nozzle, Wide range nozzle, Battery, Charge
Country-specific: Flexible nozzle complete, Air vent hose complete, Rubber attachment 20-30, Rubber attachment, Filter C complete, Belt clip

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202110