



**Cordless Impact Driver
DTD155**



3-mode operations

A-mode + 2 impact power selections

(Assist mode) (Soft/ Hard)

for multiple applications



Max Fastening Torque

140 N·m



Slim motor housing thanks to compact BL motor

Aluminum hammer case

135mm

55mm

Twin LED job light
with preglow and afterglow functions

Variable speed control by trigger

Impact power selection:
(Soft/ Hard)

Predecessor Model


BL MOTOR XPT
EXTREME PROTECTION TECHNOLOGY

Best possible ergonomic handle for screwing applications

A In order to provide maximum thrust to the bit, the top back of the handle is ergonomically contoured and widened to perfectly fit the U-shape formed between user's thumb and index finger.

B Ribbed soft grip enables all finger tips to hold the handle securely against the strong rotational force of counter torque even in single-handed operation.

A-mode (Assist mode)



Powered by 18V Li-ion battery

with Battery fuel gauge

- BL1860B: 6.0Ah
- BL1850B: 5.0Ah
- BL1840B: 4.0Ah
- BL1830B: 3.0Ah
- BL1820B: 2.0Ah
- *BL1815N: 1.5Ah

*(without Battery fuel gauge)



BL1850B

Fast Charger

DC18RC



Charger

DC18SD



Cordless Impact Driver

DTD155

- Variable Speed
- Brake
- Reversing
- Electronic 2-Speed
- Built-in Job Light
- Carrying Case

Capacity	Machine screw: M4 - M8mm (5/32" - 5/16") Standard bolt: M5 - M14 (3/16" - 9/16") High strength bolt: M5 - M12 (3/16" - 1/2") Coarse thread (in length): 22-90mm (7/8" - 3-1/2")
Hex Shank	6.35 mm (1/4")
No Load Speed (RPM)	Hard/soft: 0 - 3,000 / 0 - 1,300
Impacts Per Minute (IPM)	Hard/soft: 0 - 3,900 / 0 - 1,600
Max Fastening Torque	140 N·m (1,240 in.lbs.)
Vibration Level	14.0 m/s ²
Sound Pressure Level	94dB(A)
Sound Power Level	105dB(A)
Dimensions (L x W x H)	135x79x232mm (5-5/16"x3-1/8"x9-1/8")
Net weight	1.2 kg (2.6 lbs)

Standard Equipment: Battery, Charger, Belt Clip

weight according to EPTA-Procedure 01/ver.2.1

Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201701